

621.32

APR 1924

SUPPLEMENT TO

CATALOG NUMBER 4

American Fixture Company

A. C. RUNKEL and ED. R. KIESSLICH, Props.

MANUFACTURERS OF

**"AMERICAN" ADJUSTABLE
ELECTRIC LIGHT FIXTURES**




Condulet Fixtures

Office and Factory
230-232 WEST WATER STREET
MILWAUKEE, WIS.

1924

**6 Styles—Ceiling Fixtures, Wall Brackets, Floor Fixtures,
Bench Fixtures, Portables, and Condulet Fixtures.**

The biggest and most lasting result of installing "American" Adjustable Fixtures is increased production. Bringing the light to the work, with greater intensity of light and freedom from glare creates comfort and confidence on the part of the workman and greater satisfaction with working conditions. This is bound to reflect on the quality of work produced.



SPECIAL FEATURE


The above illustration shows the universal joint used in all our fixtures (patent No. 1350423). The joint being open, permits the cord to pass through it, and placing the light at any angle, will not pinch or injure the cord in any manner.


By the use of thumb-nuts, these joints can be adjusted to move freely or can be drawn tight and fixture made stationary.

Special dished washers are used throughout, giving the greatest possible friction.

The fixture illustrated below is called the Condulet Fixture, as it is made to fasten into a $\frac{1}{2}$ inch or $\frac{3}{4}$ inch Condulet, doing away with all exposed wires. It can be made with 2, 3, 4 or 5 universal joints.

It is a great favorite in machine shops, industrial plants, on power sewing machines and in all places where direct light is required.





“American” Adjustable Fixtures are made of sheet steel, all joints securely welded; finished in Olive Green Baked Enamel, giving them a neat and pleasing appearance.

They are made to fit a $\frac{1}{2}$ inch or $\frac{3}{4}$ inch conduit and fitted with $\frac{1}{8}$ inch or $\frac{3}{8}$ inch socket holder. Unless otherwise specified they are equipped with $\frac{3}{8}$ inch socket holder.

“American” Adjustable Fixtures are strong, durable and inexpensive. Conduits may be brought up from floor, along side walls, or down from ceiling, and fixtures will work equally well.

Catalog No. 4 shows other types of fixtures for mounting on machines, walls or ceilings.



Section of Die Room, Milwaukee Die Casting Co., Milwaukee, Wis.,
Entirely Equipped.

CONDULET FIXTURES—5 JOINTS


No.	Condulet Connection	Taper	Arm	Length to Socket	Price
425	$\frac{1}{2}$ or $\frac{3}{4}$ in.	9 in.	3, 6 and 3 in.	23 $\frac{1}{2}$ in.	\$1.40
427	$\frac{1}{2}$ or $\frac{3}{4}$ in.	9 in.	3, 9 and 3 in.	26 $\frac{1}{2}$ in.	1.45
429	$\frac{1}{2}$ or $\frac{3}{4}$ in.	12 in.	3, 9 and 3 in.	29 $\frac{1}{2}$ in.	1.50
431	$\frac{1}{2}$ or $\frac{3}{4}$ in.	12 in.	3, 12 and 3 in.	32 $\frac{1}{2}$ in.	1.55
433	$\frac{1}{2}$ or $\frac{3}{4}$ in.	15 in.	3, 12 and 3 in.	35 $\frac{1}{2}$ in.	1.60
435	$\frac{1}{2}$ or $\frac{3}{4}$ in.	15 in.	3, 15 and 3 in.	38 $\frac{1}{2}$ in.	1.65
437	$\frac{1}{2}$ or $\frac{3}{4}$ in.	18 in.	3, 15 and 3 in.	41 $\frac{1}{2}$ in.	1.70
439	$\frac{1}{2}$ or $\frac{3}{4}$ in.	18 in.	3, 18 and 3 in.	44 $\frac{1}{2}$ in.	1.75

The above prices do not include socket, shade or wiring.

"We are pleased to tell you that the new 'American' Light Fixtures you installed in our plant, are entirely satisfactory. They are a great improvement over the several others we tried out, and we believe they will be the means of saving us considerable time and money. With your fixture, the light can always be placed just where it is needed, and it never glares into the operator's eyes."

MILWAUKEE DIE CASTING CO.

E. S. Mollenhauer, General Manager.



CONDULET FIXTURES—4 JOINTS

No.	Condulet Connection	Taper	Arm	Length to Socket	Price
400	$\frac{1}{2}$ or $\frac{3}{4}$ in.	9 in.	3 and 6 in.	20 $\frac{1}{2}$ in.	\$3.70
402	$\frac{1}{2}$ or $\frac{3}{4}$ in.	9 in.	3 and 9 in.	23 $\frac{1}{2}$ in.	3.75
404	$\frac{1}{2}$ or $\frac{3}{4}$ in.	12 in.	3 and 9 in.	26 $\frac{1}{2}$ in.	3.80
406	$\frac{1}{2}$ or $\frac{3}{4}$ in.	12 in.	3 and 12 in.	29 $\frac{1}{2}$ in.	3.85
408	$\frac{1}{2}$ or $\frac{3}{4}$ in.	15 in.	3 and 12 in.	32 $\frac{1}{2}$ in.	3.90
410	$\frac{1}{2}$ or $\frac{3}{4}$ in.	15 in.	3 and 15 in.	35 $\frac{1}{2}$ in.	3.95
412	$\frac{1}{2}$ or $\frac{3}{4}$ in.	18 in.	3 and 15 in.	38 $\frac{1}{2}$ in.	4.00
414	$\frac{1}{2}$ or $\frac{3}{4}$ in.	18 in.	3 and 18 in.	41 $\frac{1}{2}$ in.	4.05

The above prices do not include socket, shade or wiring.

"We have now 250 of your adjustable fixtures in use, and our order is in for seven dozen more. We are very well pleased, and highly recommend same to every user of adjustable fixtures."

WISCONSIN GUN CO.



Section of Sewing Room, Monarch Manufacturing Co., Milwaukee, Wis.

CONDULET FIXTURES—3 JOINTS

No.	Condulet Connection	Taper	Arm	Length to Socket	Price
401	$\frac{1}{2}$ or $\frac{3}{4}$ in.	9 in.	6 in.	17 $\frac{1}{2}$ in.	\$3.00
403	$\frac{1}{2}$ or $\frac{3}{4}$ in.	9 in.	9 in.	20 $\frac{1}{2}$ in.	3.05
405	$\frac{1}{2}$ or $\frac{3}{4}$ in.	12 in.	9 in.	23 $\frac{1}{2}$ in.	3.10
407	$\frac{1}{2}$ or $\frac{3}{4}$ in.	12 in.	12 in.	26 $\frac{1}{2}$ in.	3.15
409	$\frac{1}{2}$ or $\frac{3}{4}$ in.	15 in.	12 in.	29 $\frac{1}{2}$ in.	3.20
411	$\frac{1}{2}$ or $\frac{3}{4}$ in.	15 in.	15 in.	32 $\frac{1}{2}$ in.	3.25
413	$\frac{1}{2}$ or $\frac{3}{4}$ in.	18 in.	15 in.	35 $\frac{1}{2}$ in.	3.30
415	$\frac{1}{2}$ or $\frac{3}{4}$ in.	18 in.	18 in.	38 $\frac{1}{2}$ in.	3.35

The above prices do not include socket, shade or wiring.

"Your fixtures have been in one of our factories for about four years. We have found them satisfactory."

MONARCH MANUFACTURING CO.,

George B. Miller, Treasurer.



Made in any desired length and number of joints.